

POWER THEFT IDENTIFICATION USING ZIGBEE TECHNOLOGY

Dr. B. Gopinath^{*1}, S. Anupriya^{*2}, S. Logavani^{*3}, M. Logeshwari^{*4}, P. Punitha^{*5}

^{*1}Professor, Dept. of Electrical and Electronics Engineering at Vivekananda College Of Technology For Women, Tiruchengode, India.

^{*2,3,4,5}Student, Dept. of Electrical and Electronics Engineering at Vivekananda College Of Technology For Women, Tiruchengode, India.

ABSTRACT

The burglary of the power is the significant worry of the transmission and circulation misfortunes in the flexibly of the power around the world. Chiefly the power is being taken by means of bypassing the vitality meter. Electrical force robbery location framework recognize an approved tapping on dissemination lines. Existing framework can't distinguish the specific area of tapping. This undertaking really discovers on which electrical line there is a tapping. This is an ongoing framework utilizing remote information transmission and accepting methods. Zigbee is another worldwide standard for remote correspondences with the qualities of minimal effort, low force utilization and low information rate. The zigbee module can meet the essential needs of programmed robbery observing. Remote power burglary discovery framework utilizing zigbee innovation present proficient and less exorbitant approach to corrupt the remote method utilized in this venture. This remote framework is utilized to beat the robbery of power by means of bypassing the vitality meter and henceforth it likewise controls the income misfortunes and utility of the power approved office. For the most part this framework comprises of microcontroller ,vitality meter and a zigbee module to check for the robbery of power and afterward to make an impression on the approved organization which screens the power utilization. The remote method utilized here gives the significant focal points, for example, low force utilization and furthermore the minimal effort of the zigbee module.

KEYWORDS: Zigbee Module.

I. INTRODUCTION

Age, transmission and appropriation of electrical vitality include numerous operational misfortunes. While, misfortunes embroiled in age can be actually characterized, however transmission and dissemination misfortunes can't be exactly qualified with the sending end data. India is the fifth biggest maker and customer of power on the planet, be that as it may, 24 hours power gracefully still stays a fantasy unfulfilled. In spite of an eager rustic jolt program, India is confronting continuous power outages. Power matrices in the created markets anticipate misfortunes underneath 15%, however misfortunes by India's state utilities, in the course of recent years, were as high as 30% equivalent to about 1.5% of the nation's GDP.

- Zigbee module
- Microcontroller
- Liquid crystal display(LCD)
- Keypad

Zigbee module:

Zigbee is an IEEE 802.15.4 - based determination for a set-up of elevated level correspondence conventions used to make individual region systems with little, low-power advanced radios, for example, for home mechanization, clinical gadget information assortment, and other low-power low-data transfer capacity needs, intended for little scope ventures which need remote association.

Microcontroller:

A Microcontroller is an incorporated circuit that contains a chip alongside memory and related circuits and that controls a few or the entirety of the elements of an electronic gadget or framework.

Liquid crystal display:

A LCD is a presentation of data on a screen, which utilizes fluid precious stones that become noticeable a power went through them. LCD is condensed for fluid gem show.

Keypad:

Keypad is a lot of catches masterminded in a square or "cushion" which bear digits, images or sequential letters. Cushions for the most part containing numbers are known as a numeric keypad . Numeric keypads are found on alphanumeric consoles and on different gadgets which require basically numeric information, for example, number crunchers , press button phones , candy machines , ATMs , Point of Sale gadgets, blend locks , and computerized entryway locks .

II. NEED OF THE PROJECT

The need of this undertaking is to diminish the force burglary in the transmission and dispersion line. These circumstances are all the more regularly, in the event that we can forestall these burglaries we can spare parcel of intensity. With a specialized view, Power robbery is a non unimportant wrongdoing and simultaneously it straightforwardly influenced the economy of a country.

The significant need that thwart power burglary distinguishing proof are :

- To give a straightforward method to recognize an electrical force burglary with no human interface.
- To demonstrate accurate zone and circulation line on which unapproved tapping is done progressively.
- To boost income age by the force service organizations.

Power utilization and misfortunes must be firmly checked with the goal that the produced influence is used in a most proficient way. Remote correspondence is utilized in checking process. In this task we executed utilizing Zigbee innovation due to its compelling correspondence, self-mending systems, low force utilization.

III. OBJECTIVE OF THE PROJECT

The target of this undertaking is to utilize Zigbee innovation for observing the force burglary in transmission and appropriation lines. One computerized vitality meter will quantify an expended power by load over a period and

other meter measure the force sent from the shaft to that line. These readings are given to the microcontroller through Zigbee innovation. Microcontroller then controls the outcome whether force had been robbery or not with the assistance of the given information.

IV. ORGANISATION OF THE REPORT

The report is organized under chapters as follows:

Chapter 1: This chapter gives the basic knowledge about the methods of power theft.

Chapter 2: This chapter provides a survey of the associated literature.

Chapter 3: This chapter gives a detailed view of implementation of the project.

Chapter 4: This chapter provides the description of the components used.

Chapter 5: This chapter gives the detailed information about the software used.

Chapter 6: This chapter deals with the flow of the project to identify the power theft.

Chapter 7: This chapter provides the conclusion.

V. EXISTING SYSTEM

In our venture remote innovation is utilized to screen robbery in Electricity meter. An electric meter is a gadget utilized for estimating the measure of electrical vitality provided to a private or business building. Because of the expanding cost of power, the power related robbery increments and hence altering and security in electric meters has become a significant worry for government offices over the globe. Inadequate and wasteful present techniques for recognizing and forestalling Power and power burglary cause an income misfortune alongside harm to individual and Public property.

Force robbery is at the focal point of fascination everywhere throughout the world yet power burglary in India significantly affects the Indian economy, as force robbery is impressively high in our nation. The current proposal, Microcontroller based force robbery identifier, present the idea of forestalling the unlawful use of the electrical force. The reason for an electrical force robbery discovery framework is to recognize an unapproved tapping on circulation lines where as the current framework can't distinguish the specific area of tapping.

VI. SOFTWARE USED

Description Of Keil C51 Compiler:

The Keil c51 compiler for the 8051 microcontroller is the most mainstream 8051 c compiler in the word. I t gives a larger number of highlights than some other 8051 c compiler accessible today. The c51 compiler permits us to compose 8051 microcontroller applications in c that, once arranged, have the proficiency and speed of low level computing construct .Language augmentations in the c51 compiler give you full access to all assets of the 8051. The c51 compiler makes an interpretation of c sources records into re-locatable article modules which contain full representative data for troubleshooting with the small scale vision debugger or an in-circuit emulator.

Notwithstanding the article document, the compiler creates a posting record which may alternatively incorporate image table and cross reference data.

Features Of Keil C51 Compiler:

1. Nine fundamental information types, including 32-piece IEEE skimming - point.
2. Flexible variable capacities assignment with bit, information, b information, x information what's more, p information memory types .
3. Interrupt capacities might be written in c.
4. Full utilization of the 8051 register banks.
5. Complete image and type data for source level troubleshooting.
6. Use of AJMP and ACALL directions.
7. Bit-addressable information objects.
8. Support for double information pointer on Atmel, AMD, Cypress, Dallas semiconductors, Infineon, Philips and microcontrollers.
9. Support for the Philips 8*C750, 8XC751 and 8XC752 Limited guidance sets.

Proteus Software:

Proteus 8 is the best reenactment programming for different plans with microcontroller .It is basically well known on account of accessibility of practically all microcontroller in it. Along these lines, it is a helpful instrument test programs and implanted structure for electronic specialist. You can reenact your programming of microcontroller in proteus 8 reproduction programming. In the wake of recreating your circuit in proteus 8 programming you can straightforwardly make PCB structure with it so it could be an across the board bundle for understudies and specialists

EINEC PG4UW

Software Description:

Control program PG4UW is a 32 piece application for MS windows (From windows XP to Windows 10 32-piece and 64-piece) with pull-down menu, hot keys and online assistance. You can choose target gadget by its group, by producer or just by composing a section of merchant name or potentially a section number. Other than the standard gadget related commands(read, limitless ticket to ride, program, confirm, erase)have been actualized some test capacities (inclusion test, signature-byte check), and some extraordinary capacities (auto-increase, ventures, creation mode-start following addition of chip into attachment). The control program grants information control inside the cradle and between the support and records and performs programmed document group identification and change. The product is accessible in English and in progressively another dialects.

Software Features:

1. Standard activities with support and gadget
2. Security highlights
3. Addition test, Signature-byte check
4. Unique highlights
5. Serialization, complex, measurements, programmed yes, remote control, JTAG daisy chain, and so forth
6. Complex gadget data accessible
7. Gadget bundle measurements/ISP association information, part numbering data, definite notes for increasingly confused gadgets, and so on.
8. Upheld all notable information groups
9. Multilanguage interface
10. Different language varieties (English, Korean, Chinese, Japanese, German, French, Russian, Portuguese, Slovak)
11. Just producer endorsed or guaranteed calculations utilized
12. Windows and online assistance

VII. PROPOSED SYSTEMS

- In et al [1] S.S.R Deuru, Electricity can be delivered through numerous ways which is then synchronized on a principle framework for utilization. The primary issue for which we have composed this review paper is misfortunes in electrical framework.
- In et al [2] M.V Ramesh this plan fuses compelling answers for issues looked by India's power conveyance framework, for example, power burglary and transmission line shortcoming.
- In et al [3] ZHOU Wei, power taking counteraction turned into a major issue to the power board. In view of the sort of power taking and genuine interest of avoidance of taking power, understands the conduct of power taking with remote detecting.
- In et al [4] H.G. Rodney, this paper presents of structure and improvement of Automatic meter perusing (AMR) System. AMR framework is a blast for remote observing and control household vitality meter.
- In et al [5] Amin S. Mahmoud, this paper manages programmed meter perusing and robbery control framework in vitality meter. This model lessens the manual control work and robbery control.

VIII. CONCLUSION

The advancement in innovation about electrical appropriation arrange is a relentless advancement. New things and new innovation are being created. The proposed framework is a mechanized arrangement of burglary recognition. It spares time just as help to augment the net revenue for service organization working in electrical dissemination arrange. The capacity of the advanced framework to illuminate or send information carefully organize. The capacity of the advanced framework to illuminate or send information carefully to a remote station utilizing remote radio connection includes a lot of conceivable outcomes to the manner in which the force gracefully is constrained by the power board. This framework configuration for the most part focuses on single stage electric circulation framework, particularly, The proposed framework gives the answer for the issue looked by existing matrix framework for the most part for power robbery. In future Power Theft Detection Using Raspberry Technology. In this framework at whatever point, The IR sensor should detect the movement and given sense sign to raspberry pi to take the identified camera film it ought to be identify the most noteworthy and as needs be.

IX. REFERENCES

- [1] “Electrical Power Theft Detection and wireless meter Reading” Sagar patil, Gopal Pawaskar, Kirti kumar patil Final year B.Tech Student, Dept. of Electrical Engineering, Walchand college of Engineering, Sangli, Maharastra, India.
- [2] “Automatic Meter Reading and theft Control system by using GSM” P.Rakesh Malhtra, Dr.R Seethalakshmi school of computing, SASTRA University, Tamil Nadu, INDIA Professor, school of computing , SASTRA University, Tamil Nadu, INDIA.
- [3] “GSM Based Electricity Theft identification in Distribution systems” Kalaivani.R1, Gowthami.M1, Savitha.S1, Karthick.N1, Mohan vel.S2 Student, EEE, Knowledge Institute of Technology, Salem, INDIA
- [4] Syed Shahbaz Ali, Madiha Maroof, Sidrah Hanif “Smart Energy Meter for Energy Conservation and Minimizing Errors” in International Conference on Power Electronics.
- [5] Bharath, P.; Ananth, N.; Vijetha, S.; Prakash , K.V.J.; “ Wireless Automated Digital Energy Meter” in Sustainable Energy Technologies, ICSET .
- [6] Virendra Pandey, Simrat Singh Gill and Amit Sharma, “Wireless Electricity Theft Detection System Using Zigbee Technology” , in IJRITCC Vol.1 Issue :4
- [7] G.L. Prashanthi and K V Prasad, “Wireless Power Meter Monitoring with Power Theft Detection and Intimation System Using GSM and Zigbee Networks”, in IOSR-JECE Volume 9, Issue 6, Ver.